

### Overview of Major Math Topics Addressed in Grade 8

Directions: In addition to the objectives listed in your eighth grade textbook, I am providing you with a list of the major topics you are expected to master before June. Any topics not found in the textbook will be provided by my supplementary handouts throughout the year. In the event of an absence, it is very important that all missed notes be copied into your math notebooks. **The order of presentation is determined by our new Pearson Math Program textbooks in workbook form.**

- Understand that a function is a rule that assigns to each input exactly one output.
- Graph a function on a coordinate plane.
- Compare properties of two functions each represented in a different way ( algebraically, graphically, numerically in tables, or by verbal descriptions).
- Interpret the equation  $y = mx + b$  as defining a linear function, whose graph is a straight line.
- Give examples of functions that are not linear.
- Construct a function to model a linear relationship between two quantities.
- Determine the rate of change and initial value of the function from a description of a relationship or from two  $(x, y)$  values, including reading these from a table or from a graph.
- Interpret the rate of change and the initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values.
- Describe qualitatively the functional relationship between two quantities by analyzing a graph.
- Sketch a graph that exhibits the qualitative features of a function that has been described verbally.
- Solve linear equations in one variable.
- Graph proportional relationships, interpreting the unit rate as the slope of a graph.
- Compare two different proportional relationships represented in different ways.
- Use similar triangles to explain why the slope  $m$  is the same between any two distinct points on a non-vertical line in a coordinate plane.
- Derive the equation  $y = mx$  for a line through the origin and the equation  $y = mx + b$  for a line intercepting the vertical axis at  $b$ .
- Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equations into simpler forms, until an equivalent equation of the form  $x = a$ ,  $a = a$ , or  $a = b$  results ( where  $a$  and  $b$  are different numbers.
- Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms.
- Analyze and solve pairs of simultaneous linear equations.

- Understand that solutions to systems of linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.
- Solve systems of two linear equations in two variables algebraically, and estimate solutions and estimate the solutions by graphing the equations.
- Solve simple cases by inspection.
- Solve real-world and mathematical problems leading to two linear equations in two variables.
- Know that numbers that are not rational are called irrational.
- Understand informally that every number has a decimal expansion; for rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number.
- Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of the expressions.
- Know and apply the properties of integer exponents to generate equivalent numerical expressions.
- Use square root and cube root symbols to represent solutions to equations of the form  $x^2 = p$  and  $x^3 = p$ , where  $p$  is a positive rational number.
- Evaluate square roots of perfect squares and cube roots of small perfect cubes.
- Know that square roots that do not produce integer roots are irrational.
- Use numbers expressed in the form of a single digit times a integer power of ten to estimate very large or very small quantities, and to express how many times as much one is than the other.
- Perform operations with numbers expressed in scientific notation, including problems where both decimal and scientific notation are used.
- Use scientific notation and choose units of appropriate size for measurements of very large or very small quantities.
- Interpret scientific notation that has been generated by technology.
- Review of ratio and proportions: applications
- Verify experimentally the properties of rotations, reflections, and translations: a. lines are taken to lines, and line segments to line segments of the same length. b. Angles are taken to angles of the same measure. c. Parallel lines are taken to parallel lines.
- Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations.
- Given two congruent figures, describe a sequence that exhibits the congruence between them.
- Describe the effect of dilations, translations, and reflections on two-dimensional figures using coordinates.
- Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations.
- Given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.

- Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles.
- Explain a proof of the Pythagorean Theorem and its converse.
- Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.
- Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.
- Know the formulas for the volumes of cones, cylinders, and spheres and use them to solve real-world and mathematical problems.
- Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities.
- Describe patterns such as clustering, outliers, positive or negative association, and non-linear association.
- Know that straight lines are widely used to model relationships between two quantitative variables.
- For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line.
- Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept.
- Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table.
- Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects.
- Use relative frequencies calculated for rows or columns to describe possible association between two variables.

***Please Note: This is merely a list of the general areas that need to be mastered. Some of these topics have already been introduced in the lower grades. How many do you instantaneously recall? These are the areas you may consider to be mastered. Focus your study attention on those areas which have not reached the “mastered” status!***