

PLEASE SIGN AND RETURN TO NURSE

Concussion: The Invisible Injury Student and Parent Acknowledgement of Receipt Form

Please sign and return this form only. In doing so you are acknowledging the following:

- 1) I have received, read, and understand the attached Concussion Student and Parent information document.
- 2) I understand the signs and symptoms of a concussion.
- 3) Should there be a suspicion that my son/daughter has withstood a head injury at an athletic event or practice, I give permission for a Certified Athletic Trainer (if present) to conduct a sideline assessment to make a determination whether further medical care is necessary.
- 4) Federal law, which took effect on July 1, 2012, requires that this form be signed and returned before an athlete is permitted to participate in any athletic tryout, practice or competition.

In order for your child to be cleared for participation, all information below must be filled in and this form must be submitted to the nurse assigned to your child's school.

Student's Name _____

Student's Address _____

Zip _____

School _____

Grade _____

I have read and understand the policy:

Parent/Guardian's Signature

Date

Print Name of Parent/Guardian

Contact Telephone #



Parent/Athlete Concussion Information Sheet

A concussion is a type of traumatic brain injury that changes the way the brain normally works. A concussion is caused by bump, blow, or jolt to the head or body that causes the head and brain to move rapidly back and forth. Even a "ding," "getting your bell rung," or what seems to be a mild bump or blow to the head can be serious.

WHAT ARE THE SIGNS AND SYMPTOMS OF CONCUSSION?

Signs and symptoms of concussion can show up right after the injury or may not appear or be noticed until days or weeks after the injury.

If an athlete reports **one or more** symptoms of concussion listed below after a bump, blow, or jolt to

Did You Know?

- Most concussions occur *without* loss of consciousness.
- Athletes who have, at any point in their lives, had a concussion have an increased risk for another concussion.
- Young children and teens are more likely to get a concussion and take longer to recover than adults.

the head or body, s/he should be kept out of play the day of the injury and until a health care professional, experienced in evaluating for concussion, says s/he is symptom-free and it's OK to return to play.

SIGNS OBSERVED BY COACHING STAFF	SYMPTOMS REPORTED BY ATHLETES
Appears dazed or stunned	Headache or "pressure" in head
Is confused about assignment or position	Nausea or vomiting
Forgets an instruction	Balance problems or dizziness
Is unsure of game, score, or opponent	Double or blurry vision
Moves clumsily	Sensitivity to light
Answers questions slowly	Sensitivity to noise
Loses consciousness (<i>even briefly</i>)	Feeling sluggish, hazy, foggy, or groggy
Shows mood, behavior, or personality changes	Concentration or memory problems
Can't recall events <i>prior</i> to hit or fall	Confusion
Can't recall events <i>after</i> hit or fall	Just not "feeling right" or "feeling down"

CONCUSSION DANGER SIGNS

In rare cases, a dangerous blood clot may form on the brain in a person with a concussion and crowd the brain against the skull. An athlete should receive immediate medical attention if after a bump, blow, or jolt to the head or body s/he exhibits any of the following danger signs:

- One pupil larger than the other
- Is drowsy or cannot be awakened
- A headache that not only does not diminish, but gets worse
- Weakness, numbness, or decreased coordination
- Repeated vomiting or nausea
- Slurred speech
- Convulsions or seizures
- Cannot recognize people or places..
- Becomes increasingly confused, restless, or agitated
- Has unusual behavior
- Loses consciousness (even a brief loss of consciousness should be taken seriously)

WHY SHOULD AN ATHLETE REPORT THEIR SYMPTOMS?

If an athlete has a concussion, his/her brain needs time to heal. While an athlete's brain is still healing, s/he is much more likely to have another concussion. Repeat concussions can increase the time it takes to recover. In rare cases, repeat concussions in young athletes can result in brain swelling or permanent damage to their brain. *They can even be fatal.*

It's better to miss one game than the whole season. For more information on concussions, visit: www.cdc.gov/Concussion.

Remember

Concussions affect people differently. While most athletes with a concussion recover quickly and fully, some will have symptoms that last for days, or even weeks. A more serious concussion can last for months or longer.

WHAT SHOULD YOU DO IF YOU THINK YOUR ATHLETE HAS A CONCUSSION?

If you suspect that an athlete has a concussion, remove the athlete from play and seek medical attention. Do not try to judge the severity of the injury yourself. Keep the athlete out of play the day of the injury and until a health care professional, experienced in evaluating for concussion, says s/he is symptom-free and it's OK to return to play.

Rest is key to helping an athlete recover from a concussion. Exercising or activities that involve a lot of concentration, such as studying, working on the computer, or playing video games, may cause concussion symptoms to reappear or get worse. After a concussion, returning to sports and school is a gradual process that should be carefully managed and monitored by a health care professional.

Student-Athlete Name Printed

Student-Athlete Signature

Date

Parent or Legal Guardian Printed

Parent or Legal Guardian Signature

Date



Concussions: The Invisible Injury

Student and Parent Information Sheet

CONCUSSION DEFINITION

A concussion is a reaction by the brain to a jolt or force that can be transmitted to the head by an impact or blow occurring anywhere on the body. Essentially a concussion results from the brain moving back and forth or twisting rapidly inside the skull.

FACTS ABOUT CONCUSSIONS ACCORDING TO THE CENTER FOR DISEASE CONTROL (CDC)

- An estimated 4 million people under age 19 sustain a head injury annually. Of these approximately 52,000 die and 275,000 are hospitalized.
- An estimated 300,000 sports and recreation related concussions occur each year.
- Students who have had at least one concussion are at increased risk for another concussion.

In New York State in 2009, approximately 50,500 children under the age of 19 visited the emergency room for a traumatic brain injury and of those approximately 3,000 were hospitalized.

REQUIREMENTS OF SCHOOL DISTRICTS

Education:

- Each school coach, physical education teacher, nurse, and athletic trainer will have to complete an approved course on concussion management on a biennial basis, starting with the 2012-2013 school year.
- School coaches and physical education teachers must complete the CDC course. (www.cdc.gov/concussion/HeadsUp/online_training.html)
- School nurses and certified athletic trainers must complete the concussion course. (<http://preventingconcussions.org>)

Information:

- Provide concussion management information and sign off with any parental permission form. The NYSPHSAA will provide a pamphlet to member schools on the concussion management information for parents.
- The concussion management and awareness information or the State Education Department's web site must be made available on the school web site, if one exists.

Removal from athletics:

- Require the immediate removal from athletic activities of any pupil that has or is believed to have sustained a mild traumatic brain injury.
- No pupils will be allowed to resume athletic activity until they have been symptom free for 24 hours and have been evaluated by and received written and signed authorization from a licensed physician. For interscholastic athletics, clearance must come from the school medical director.
 - Such authorization must be kept in the pupil's permanent health record.
 - Schools shall follow directives issued by the pupil's treating physician.

SYMPTOMS

Symptoms of a concussion are the result of a temporary change in the brain's function. In most cases, the symptoms of a concussion generally resolve over a short period of time; however, in some cases, symptoms will last for weeks or longer. Children and adolescents are more susceptible to concussions and take longer than adults to recover.

It is imperative that any student who is suspected of having a concussion is removed from athletic activity (e.g. recess, PE class, sports) and remains out of such activities until evaluated and cleared to return to activity by a physician.

Symptoms include, but are not limited to:

- Decreased or absent memory of events prior to or immediately after the injury, or difficulty retaining new information
- Confusion or appears dazed
- Headache or head pressure
- Loss of consciousness
- Balance difficulties, dizziness, or clumsy movements
- Double or blurry vision
- Sensitivity to light and/or sound
- Nausea, vomiting and/or loss of appetite
- Irritability, sadness or other changes in personality
- Feeling sluggish, foggy or light-headed
- Concentration or focusing problems
- Drowsiness
- Fatigue and/or sleep issues – sleeping more or less than usual

Students who develop any of the following signs, or if signs and symptoms worsen, should be seen and evaluated immediately at the nearest hospital emergency room.

- Headaches that worsen
- Seizures
- Looks drowsy and/or cannot be awakened
- Repeated vomiting
- Slurred speech
- Unable to recognize people or places
- Weakness or numbing in arms or legs, facial drooping
- Unsteady gait
- Change in pupil size in one eye
- Significant irritability
- Any loss of consciousness
- Suspicion for skull fracture: blood draining from ear or clear fluid from the nose

STATE EDUCATION DEPARTMENT'S GUIDANCE FOR CONCUSSION MANAGEMENT

Schools are advised to develop a written concussion management policy. A sample policy is available on the NYS PHSA web site at www.nysphsaa.org. The policy should include:

- A commitment to reduce the risk of head injuries.
- A procedure and treatment plan developed by the district medical director.
- A procedure to ensure proper education for school nurses, certified athletic trainers, physical education teachers, and coaches.
- A procedure for a coordinated communication plan among appropriate staff.
- A procedure for periodic review of the concussion management program.

RETURN TO LEARN and RETURN TO PLAY PROTOCOLS

Cognitive Rest: Activities students should avoid include, but are not limited to, the following:

- Computers and video games
- Television viewing
- Texting
- Reading or writing
- Studying or homework
- Taking a test or completing significant projects
- Loud music
- Bright lights

Students may only be able to attend school for short periods of time. Accommodations may have to be made for missed tests and assignments.

Physical Rest: Activities students should avoid include, but are not limited to, the following:

- Contact and collision
- High speed, intense exercise and/or sports
- High risk for re-injury or impacts
- Any activity that results in an increased heart rate or increased head pressure

Return to Play Protocol once symptom free for 24 hours and cleared by School Medical Director:

Day 1: Low impact, non strenuous, light aerobic activity.

Day 2: Higher impact, higher exertion, moderate aerobic activity. No resistance training.

Day 3: Sport specific non-contact activity. Low resistance weight training with a spotter.

Day 4: Sport specific activity, non-contact drills. Higher resistance weight training with a spotter.

Day 5: Full contact training drills and intense aerobic activity.

Day 6: Return to full activities with clearance from School Medical Director.

Any return of symptoms during the return to play protocol, the student will return to previous day's activities until symptom free.

CONCUSSION MANAGEMENT TEAM

Schools may, at their discretion, form a concussion management team to implement and monitor the concussion management policy and program. The team could include, but is not limited to, the following:

- Students
- Parents/Guardians
- School Administrators
- Medical Director
- Private Medical Provider
- School Nurse
- Director of Physical Education and/or Athletic Director
- Certified Athletic Trainer
- Physical Education Teacher and/or Coaches
- Classroom Teachers

OTHER RESOURCES

- New York State Education Department
- New York State Department of Health
http://www.health.ny.gov/prevention/injury_prevention/concussion/htm
- New York State Public High School Athletic Association
www.nysphsaa.org/safety/
- Center for Disease Control and Prevention
<http://cdc.gov/concussions>
- National Federation of High Schools
www.nfhslearn.com – The FREE Concussion Management course does not meet education requirement.
- Child Health Plus
http://www.health.ny.gov/health_care/managed_care/consumer_guide/about_child_health_plus.htm
- Local Department of Social Services – New York State Department of Health
http://www.health.ny.gov/health_care/medicaid/dss/htm
- Brain Injury Association of New York State
<http://www.bianys.org>
- Nationwide Children's Hospital – Concussions in the Classroom
<http://www.nationwidechildrens.org/concussions-in-the-classroom>
- Upstate University Hospital – Concussions in the Classroom
<http://www.upstate.edu/pmr/healthcare/programs/concussion/classroom.php>
- ESPN Video – Life Changed by Concussion
<http://espn.go.com/video/clip?id=7525526&categoryId=5595394>
- SportsConcussions.org
<http://www.sportsconcussions.org/baseline/>
- American Association of Neurological Surgeons
<http://www.aans.org/Patient%20Information/Conditions%20and%20Treatment/Concussion.aspx>
- Consensus Statement on Concussion in Sport – Zurich
<http://sportconcussions.com/html/Zurich%20Statement.pdf>